

Deer Valley
Neighborhood Lots

DESIGN GUIDELINES

Residential structures in Deer Valley will be planned and designed to achieve a traditional appearance. To assure that the buildings will maintain a high quality appearance over time, the buildings will utilize high quality and long-lasting maintenance free materials (such as brick, stone, stucco type material and wood, Vinyl or Cementous siding).

A Design Review Committee will be established by the Developer for the purpose of administering these guidelines. The Design Review Committee, Developer or Seller are not reviewing plans and specifications for structural integrity, buildability on said lot, compliance with any applicable codes all of which are the sole responsibility of the Owner.

The owner shall submit to the Design Review Committee for approval, approval with modification or disapproval, two (2) sets of detailed building plans, site and grading plan with landscaping, material descriptions with color selections prior to closing. All reviews by the Design Review Committee are for aesthetics only.

CONSTRUCTION REQUIREMENTS

No resident building with less than the following designated square footage of finished living area above grade, exclusive of garage, porches and unfinished areas, shall be erected or placed on any Lot in the Phases, as noted.

Dwelling Size/Minimum Standards

1. All dwelling shall be used for single-family purposes.
2. The minimum square footage of the dwelling shall be regulated as follows:

Area/Phase (Finished floor area exclusive of garages, porches or unfinished areas)

Ranch (above grade)	1200 sq. ft.
Two story (above grade)	1400 sq. ft.

**Set-back:
requirements**

Front yards will have a minimum building set-back of twenty five (25') feet on typical lots.

Side yards will have a minimum building set-back of five (7.5') each side with a total of both sides to be 15' feet (15') minimum. 15' required between principal structures

Rear yards will have a minimum building set-back of thirty (30') feet.

INTRODUCTION TO THE DESIGN GUIDELINES

The Deer Valley Design Guidelines have been prepared to help homebuyers, homebuilders, architects, and residents of Deer Valley not only understand, but also become active participants in this process to assure the long-term quality of the community. It is not the intent of these guidelines to review plans for structural integrity, life safety issues, code compliance or any technical applications, or to modify or restate the deed restrictions. The intent of this document is to provide a foundation for design, which will create a consistent character, quality, and value throughout the community.

CONFLICTS AND DISCLAIMERS

In the event of any conflict between the Design Review Guidelines, the Lot Purchase Agreement, and either the Declaration of Covenants, Restrictions, Easements and Liens for Deer Valley, then the Developer will resolve the conflict, in its discretion, with primary reliance on the Covenants and Restrictions.

DESIGN APPROVAL PROCESS

The Design Review Committee must review every proposed new home in Deer Valley before construction can begin. To assist you in understanding this review, the Development Guidelines have been developed. These guidelines provide a basis for review of plans by the Design review Committee, and serves as a checklist for you to insure all design elements have been considered in the creation of your home. Any questions in reference to the Design Guidelines should be submitted to the Design Review Committee through your builder or architect. Builders who enter into an agreement for multiple lot purchases may, with Design Review Committee approval, submit a group of house plans for preapproval on the lots for which they have contracted.

The following is an outline of the steps involved in the design approval process.

Step One: Preliminary Architectural Review

In order to provide a systematic and uniform review of the proposed construction, the design documents should adhere to the criteria outlined below.

General Drawing Requirements

Drawing Size: 11" x 17" Blueline, including
Owner's Name
Builder's and Architect/Designer's name
Lot Address
Date of Drawing

Participating Builder must submit three (3) sets of construction drawings as follows:

1. Design Review Application Form
2. Site Plan with Topography (also see Landscape Plan)
 - Scale: 1" = 20' or 1" = 40'
 - Property Lines
 - Building Setback Lines
 - Easements
 - Right of Ways
 - Driveways (location and material proposed)
 - Patios/Decks (indicate material proposed)
 - Walkways (indicate material proposed)
 - Pools
 - Pool Pumps, Heater, and Equipment
 - Culverts
 - Drainage Plan
 - Proposed Retaining Wall
 - Dwelling Perimeter (**1st/2nd Floor**)
 - Roof Line/Overhang
 - Topography (finish and existing grades)
 - Equipment
 - Lighting
3. Landscape Plans (also see Site Plan)
 - Scale: 1" = 20' or 1" = 40'
 - Topography
 - Drainage
 - Easements
 - Right of Ways
 - Existing Trees (8" diameter@ 3' above grade)
 - Plant Material
 - Surface Material
 - Exterior Lighting Details
 - Transformer Location
 - Electric and Gas Meter Location

4. House Plans
 - A. Exterior Elevations (4 sides)

Roofing, Facades, Fascia, trim, Windows, Doors, Garage Doors
Note: Materials, Types, Specifications and Finish of each are to be noted on plan.
 - B. Floor Plans
5. Color Chips (Exterior)
6. Patios/Decks: materials, finish
7. Fences/Walls: structure, materials, finish
8. Screen enclosures: structure, materials, finish
9. Mechanical equipment: location and screening details
10. Exterior lighting details: lamp post and flood lights
11. Driveway: materials, finish

Material samples, product photos, and color chips are to be submitted upon request.

The Design Review Committee will review all design documents, sample materials, color chips and return one set of plans to the Participating Builder within 15 days with the appropriate comments.

Step Two: Submission of Plans to Appropriate Building Department

Participating Builder submits approved plans to the Building Inspector and any other such agencies having jurisdiction for required permits.

Step Three: Final Architectural Compliance Review (As Built)

The review of home and proposed landscaping will be reviewed upon completion for compliance. Pending full compliance with proposed design, specifications, and materials, and subject to the terms of the Lot Purchase Agreement, performance deposits will be refunded less review fees.

Design Document Changes

The Participating Builder must notify the Design Review Committee prior to making any significant or material changes to the approved plans. A letter with applicable supporting data (as required) must be submitted to the Design Review Committee for the file. Any major deviations (as determined solely by the Design Review Committee) may require full Committee approval prior to commencement of changes. The Design Review Committee reserves the right to inspect construction in progress for conformance with approved design documents and Applicants agree to cooperate fully with members of the Design Review Committee at all times.

Additions and Remodeling

It is required that all plans for remodeling or additions that alter the exterior appearance of any permanent structure or home-site be approved by the Design Review committee. All of the requirements and guidelines in this document, as well as applicable governmental approvals, apply to these types of improvements.

The participating builder must go through the same 3-step process as it relates to each individual remodeling or addition. Decks, patios, and landscape walls are examples of additions.

Fees

ARB Approval

A.	Architectural Review	\$400.00
	Landscaping Review	
B.	Changes to Approved Plans	\$100.00
C.	Additions and Remodel Review	\$100.00

DESIGN REQUIREMENTS

Landscaping and Irrigation

Landscape: 5% of cost of lot as a minimum

1. All easements and right-of-ways shall be landscaped in conformance with easement limitations and must be included in your landscape design.
2. Irrigation from wells shall not be permitted
3. All homes must be fully landscaped and maintained- front, sides and rear. Included in this is the requirement that the front and side yards be sodded and the rear yards must be seeded or sodded. If the rear yard is seeded, it must be seeded within 60 days of the house closing/house completion or as soon as weather permits if the home was completed in the winter months.
4. Existing tree line and proposed tree preservation areas with a diameter of 8 inches or more (measured 3 feet above grade outside the building pad) must be noted on the site plan and landscape plan. Specimens scheduled for removal must be included on plans tagged with final stakeout. In no case shall trees with a diameter of 8 inches or more (measured 3 feet above grade outside the building pad) be removed without approval.
5. All Applicant and Participating Builders shall make a diligent effort to protect all remaining trees during construction, to provide staked-off areas to protect root systems from heavy vehicles and equipment, to install tree wells, and to take other precautions in cases where fill is required around trees.

6. Street trees are shown in the front yards of each lot on the Master landscape plan. Typical lots will be required to plant at least one "street tree." Some lots, such as corner lots may require two or more street trees. Street tree species and locations are per the requirements of the approved Master landscape Plan.
7. Each owner will be required to pay for the professional installation of the developer required "street tree(s)" on each lot at the time of installation of landscaping for their respective lot.
8. Builder/Buyer is responsible for obtaining and complying with an NPDES Permit From Ohio EPA, and maintain a control plan for erosion and sediment control in accordance with all Federal, State, and Local laws, rules and regulations during the construction period and until all landscaping, grass seeding or sodding is in place.
9. Herb and vegetable garden areas will be permitted on each property. Garden boxes made of decorative landscape timbers or other such commercially designed products specifically intended for raised garden box use will also be permitted. The garden shall not exceed 200 square feet in total, shall be located to the rear of the property (on corner lots shall be on the side farthest from the street), placed as to not be a nuisance to neighbors, shall not block views of neighboring properties, shall be free of weeds and maintained by the property owner (or removed if not being used for more than one season), shall not grow plants that are considered a nuisance by the DRC, or illegal.
 - A. No vegetables, fruits, herbs, or similar vegetation is permitted in the front of any property
 - B. Gardens must be managed and free of weeds
 - C. No container not designed for growing vegetables may be used in any yard, for example: large plastic storage boxes or tires
 - D. All gardens are subject to DRC approval and any new garden must be approved through an improvement application sent to the DRC. Size, type of planting container, and location will be reviewed before approval is given.
 - E. Upon removal of a garden, the area must be restored to its intended condition prior to the installation of the garden
10. All outdoor and yard decorations and fixtures shall be reviewed for approval by DRC at its sole discretion
11. Holiday decorations shall not be put up more than 30 days prior to the nationally recognized holiday and shall be removed within 30 days after the holiday has passed.

Utilities

Applicant shall be responsible for all utility services from point of utility company connections underground to the Applicant's home. All utilities shall be underground except temporary electrical service for homes under construction.

Note: Utilities must conform with The City of Miamisburg Zoning Department.

Accessory Structures

1. Accessory structures, doghouses, or dog runs, shall not be permitted.
2. Tool Sheds (120 SF max) shall not be permitted without prior approval of the DRC. One shed per lot will be considered. Sheds must be typical wood frame construction with exterior materials and design that complying with these design guidelines. Shed colors must match the corresponding features of the house. Roofing must match the main house roof in color and style of shingle. **Sheds shall not be permitted on lots 8363 thru 8378. See Exhibit A attached.**
3. Outside antennas and satellite dishes shall not be permitted unless 18" or less and not in view. Satellite receivers are prohibited in front and side yards. Such services may be installed in the rear yard or on the house if not visible from the street with approval of the Design Review Committee as provided for in 4.1.9. Such approval shall be conditioned upon compliance with such conditions regarding location, screening and size as the Design Review Committee shall deem reasonable. Maximum size of the unit will be a three foot (3') in diameter dish.
4. A flagpole for display of the American Flag or other banners shall be permitted, providing they are attached to a building, subject to approval of the size, placement, color, finish, and design
5. No clotheslines shall be allowed.
6. Refer to the Declaration of Covenants & Restrictions for any additional requirements.

HOMESITE

Site Qualities

Identify the natural qualities of the site, and decide what they are and how they should be used. Attempt to preserve the trees, rock outcroppings, and scenic areas, use the views, recognize the slopes and drainage patterns. Position your house on the site to minimize the change in existing grades and contours. During construction, protect trees or natural areas with the use of snow and silt fences. Leave ravine areas natural and undisturbed; never fill with dirt or debris. Do not remove trees or natural features before final approval of plans and specifications.

Grading

Builder/Buyer is responsible for staking out property limits and providing building construction staking. Final grading must be according to approved site plans, and prior to seeding, sodding or landscaping and following the grades identified on the grading plan. All drainage swales shall be maintained as shown on the developer's grading plan. Builder/Buyer further agrees to set all finish grade evaluations in accordance with the grading plan for the subdivision and to install the driveway.

When trees or other such elements are to be preserved, they will determine the level of grading in their immediate vicinity. Retaining walls, terraced banks, and planted slopes should be considered as part of a grading plan.

Applicant shall be responsible for grading and surface drainage so that surface run-off will not adversely affect adjoining properties. Applicant shall provide construction devices, stepped terraces, or other forms of erosion control. Sump Drains shall be piped to the sump drain system and drainage shall be directed toward catch basin.

Drainage

Drainage is often a major problem for the new homeowner, often forgotten and seldom completely solved before the first big rain or spring thaw forces action. On sloping land, each neighbor receives water from those above him and deposits water on those below. Therefore a pattern of compulsory mutual responsibility is established.

The acts of excavating or filling, or destroying the natural vegetative cover, or of building impervious roofs, or paved surfaces, increases the amount of surface run-off and change its direction and concentration.

Storm water from building and pavements on each site shall be directed by pipe or swale to the street, the nearest storm sewer, or natural waterway. Sump pumps must be connected into sump drain lines. Storm sewer originating from the natural watersheds of adjacent property shall be accommodated and transmitted through your site to an existing outlet.

It is required at Deer Valley to control storm water and sedimentation both during and after construction. The following guidelines will help with this process.

1. Builder/Buyer agrees to leave all sanitary sewer manholes, storm sewer manholes, main water line boxes and water tap box uncovered and exposed to finish grade after sodding and seeding of the yard or installation of driveways.
2. Builder/Buyer is responsible for securing and paying all individual zoning permits, sewer and water tap-in fees, building and other associated fees.
3. Builder/Buyer further understands that Seller shall use all easements of record also for drainage in accordance with the approval.
4. All buildings will be completed at a finished floor elevation compatible with its surroundings.
5. Each property owner is responsible for maintaining proper and adequate drainage on their property and not to disturb or change drainage on their or surrounding properties.

Topography

The land at Deer Valley varies in elevation from level to sloping. Therefore, such design elements as mounding, retaining walls and the stepping of slopes should be considered in

properly developing your site. These elements should naturally blend with your site and enhance the existing features of the land.

Outdoor Living Area/Swimming Pools/Screen Enclosures

1. Swimming pools shall not be permitted on the street side of any residence. No above ground pools are permitted. In-ground pool and tennis court fencing must receive Design Review Committee approval prior to installation.
2. Screen enclosure material and colors must be approved. Pool enclosures must be neutral in color. Materials and color must be submitted for approval. Wrought iron type fence is recommended for all homes.
3. All outdoor recreational devices (sandboxes, swing sets, swimming pools, basketball backboards, lawn games, etc.) must be approved by the Design Review Committee prior to installation.

Walls and Fences

Walls and fences are considered an extension of the architecture of the residence. They are used to make transitions between the mass of the architecture and natural form of the site. All walls and fences shall be designed to be compatible with the total surrounding environment and shall not block natural views. Fences, walls and hedges are considered design elements to enclose and define courtyard, to extend and relate the building forms to the landscape, and to provide security and privacy to the property. No fence or wall shall be installed on any portion of the lot that is closer to the street than the primary rear wall of the residence on the lot.

All walls and fences must be approved by the Design Review Committee prior to installation. It is recommended that walls be made of solid masonry. Fences should be vinyl, ornamental aluminum or wrought iron type, or picket type. Chain link and wood fences will not be permitted within the community. All fence posts shall be located on the inside of the fenced area. Maximum height for walls and fences is 6' above grade. Privacy fencing will only be allowed when used to screen a pool, hot tub, or patio area. Privacy fencing shall not be used to screen the entire rear yard. Picket type fencing shall not have pickets that are wider than the spacing between the pickets (50% open view). The Design Review Committee will review requests for adjustments to height material usage on a case-by-case basis.

Retaining walls that attach to the residence should utilize the same materials that the wall comes in contact with. All retaining walls shall be made from stone, brick, landscape ties or other approved materials. Final design and materials must be approved by the Design Review Committee.

Fencing is permitted, however, an illustration, sample of the fence, site plan, landscaping and color information must be submitted to the Design Review Committee.

1. Attempts to establish property lines through individual fencing are not acceptable. Every effort must be made to retain the feeling of open spaces.

2. No wall, fence, coping or boundary planting may be constructed or maintained in such a manner as to interfere with the vision of drivers at any intersection of streets or roads. Fencing and walls on double fronting lots must adhere to the building setback requirements. No fence or wall on these lots will be allowed to extend beyond the plane of the house. Placement and design should not block neighboring views.
3. **Lots 8363 thru 8378 shall be prohibited from installing walls other than low lying landscape retaining walls with prior approval required.**
4. **Lots 8363 thru 8378 shall only be permitted to install a black aluminum fence 4' in height matching the design in Exhibit B attached.**
5. A survey and staking is required before performing work near property lines.

Refer to Covenants & Restrictions for any additional requirements.

Play Equipment

The Property is a community of family, professional and empty nester households. Due to this diversity it is important to be respectful of the overall image of the community. To create a harmonious order, minimum design standards are established for all play equipment. All play sets including swings, forts and climbers must be constructed using commercially designed and manufactured products specifically intended for the stated type of play set use. Tenting is permitted on the play sets but must be neutral, green or blue in color. Harsh primary or neon colors are not permitted. A Design Review Committee approval is required of all play sets. The applicant must submit a representation of the equipment proposed along with a plan of the lot that locates the placement of the proposed construction. Landscape screening of the equipment may be required by the Committee to reduce views from roadways and adjoining properties. Basketball goals may be placed on a residence, or on a Lot, in any area behind the front plane of the house. Residences with a front entry garage may not affix a basketball goal to the garage or house; in such cases, however, a permanent ground-mounted basketball goal may be installed perpendicular to the street (and may be located in the front yard). Free-standing portable basketball goals are not permitted. In all cases, any basketball goal shall be of high quality backboard material. Poles must be black or white in color, with clear, white or gray backboards exclusive of ornamentation. Applicants must submit a plan of the lot with the proposed location of the pole to the Design Review Committee for approval.

All playground equipment shall be placed to the rear of the residence.

Your Automobile

Garages

1. Carports are not permitted.
2. Garages will accommodate not less than two vehicles. Only panel or decorative flush

type garage doors shall be permitted (wood or insulated steel). If a steel door is used, it must be reviewed and approved by the Design Review Committee. House designs should minimize the amount of garage structure that is closer to the street than the front plane of the house.

3. Storage of recreational vehicles, boats, campers, trailers and other similar vehicles on permanent basis, on any portion of the lot or the street is prohibited unless it is kept within the structure. Outside parking of such vehicles in the community is limited to a 24 consecutive hour time frame from the time it is initially parked until its removal and no more than 48 hours total in the same calendar week.

Driveways

1. Driveways and non-public sidewalks shall be constructed of concrete, pavers or similar material or as approved by the Design Review Committee. Asphalt drives will not be permitted.
2. No street-side parking areas may be created by extending any portion of the street pavement
3. No overnight business vehicle or equipment parking shall be permitted outdoors.
4. Where possible, access to corner lots shall be from the least traveled street.
5. Builder agrees to set all finish grade elevations in accordance with the grading plan for the subdivision and to install the driveway.

Exterior Lighting

1. All proposed exterior lighting shall be detailed on the final Landscape Plan. No exterior lighting shall be permitted which in the opinion of the Design Review Committee would create a nuisance to the adjoining property owners.
2. Builder/Buyer shall install one pole mounted exterior light in the front yard designated by the Design Review Committee. All exterior pole mounted shall be controlled by a photoelectric cell. Wall mounted lights are required by each entry door and garage door. The placement of all exterior area lights shall be reviewed and approved by the Design Review Committee and shall be metered to the single-family residence on the Lot.

Refer to the Covenants & Restrictions for any additional requirements.

Your Home

Character

Although Deer Valley does not limit to particular styles of homes, the following are recommendations for design to insure Design Review Committee approval.

1. Traditional styles of historical architectural identification, such as:
 - a. Colonial-Southern, Georgian
 - b. European-Country French, Country English c.
 - East Coast-Carolina Coastal, Hamptons

- d. Arts Crafts, Buck County
 - e. craftsman
- 2. Massing and proportionality consideration is ultimately with any style.
- 3. 4-Side designs will be reviewed
 - a. Symmetry
 - b. Consistent use of materials
 - c. Rhythm of design, details and materials for each elevation

Roof Pitch/Roofing Materials/Overhangs

- 1. Roofs should slope at a minimum pitch of 6-12 facing gable unless otherwise approved. Recommended roof-surfacing materials are cedar shakes, cedar shingles, natural slate, tile, copper seamed roofing, fiberglass and asphalt shingles (230 lbs. minimum). Dimensional shingle is required with a 25-year guarantee. Gutters and downspouts are required. Flat roofs shall not be more than 10% of the roof area.
- 2. Roof stack and plumbing vents shall be placed on rear slopes of the roofs when possible.

Exterior Materials

Approved colors shall work well in tying together the continuity of buildings. The intent is for individual houses to blend into the total image. Roof colors should not contrast sharply with the rest of the house.

- 1. The selection of exterior materials shall be harmonious with the architectural of each dwelling unit and the community development as a whole. Depending on specific applications, the following materials have been approved by the Design Review Committee.
 - a. Wood (cypress/cedar/redwood): cedar shake, lap siding, cedar shake (roofs) tongue and groove siding or other hardboard siding and/or Cementous siding with approval of the Design Review Committee.
 - b. Vinyl/Aluminum Vinyl lap siding (no dutch lap), vinyl shakes, and trim. Aluminum trim and overhang materials. No aluminum siding. Vinyl siding is only permitted in gable areas and must be a min of .044" thickness, have a min projection of 5/8" (where applicable), and have a fully rolled-over and reinforced nail fin. Insulation backed siding is encouraged.
 - c. Stucco: (Approval subject to application, texture, and use of other Primary, secondary or decorative treatments.) External Insulated Finish System EIFS (Dryvit)

- d. Masonry: Natural stone, brick, cultured stone or Cementous sidings.
 - e. Windows: Wood frame, aluminum or vinyl clad and vinyl framed.
Divided light or grilles are recommended in the front of houses.
- 2. The following exterior materials are not approved for construction: aluminum siding; (aluminum soffit and fascia is permissible) concrete block (except for sub-surface wall); fiberglass; logs (imitation or otherwise except for landscaping purposes); fiberglass garage doors; and certain types of Imitation stone and brick; fiberglass or asphalt shingles used as siding. High quality simulated stone and brick from natural materials will be considered on their own merit by the Design Review Committee, but are subject to disapproval.
 - 3. Exterior colors that, in the opinion of the Design review Committee, would be in harmonious, discordant and/or incongruous shall not be permitted.

The Design Review Committee shall have final approval of all exterior color submittal. Each applicant must submit to the Design Review Committee as part of Final Architectural Review, a color board showing the color of the roof, exterior walls, shutters, trim, etc.

A color board with manufacturer's name and number, with color/material "chip" and location of same, of 8-1/2" x 11" or 8-112" x 14" size shall be provided if requested. Should color or materials be revised prior to completion, contractor shall update (modify) that reference file.

Patios, Terraces and Decks: (on grade where possible)

The design of outdoor living spaces when applicable must be professionally coordinated and approved by The Design Review Committee.

Outdoor spaces, when designed to provide privacy, can be enclosed with planting fences, walls, or gently mounded earth.

The exterior of each residence shall be consistent with the high quality of the overall community. It is required that all exterior finish materials be consistently applied to all sides of the building.

Meters and Equipment

Utility meters and air conditioning equipment must be located only in the side or rear yard, unless the Design Review Committee gives a site specific design exception due to the architectural character of the home and all improvements are screened from public view. Pool equipment may be allowed in rear yards when proper location and screening has been approved by the Design Review Committee. Mechanical equipment shall be located in such a manner as to minimize offensive noises, odors and appearances to adjoining properties. Equipment shall be landscaped and/or screened and shall be located on the appropriate drawings and documents.

All plumbing vents and roof ventilators shall be installed as not to be seen from any street side of the home when possible.

Solar Panels

See Exhibit C of The Declaration of CCR's for solar panel requirements

Refuse and Storage Areas

Garbage and refuse shall be placed in containers and shall be capped or contained in such a manner they are inaccessible to animals. These containers shall be concealed within the homes or screened to ensure that they are not visible from the street.

GENERAL COMMUNITY STANDARDS

Temporary Improvements

No temporary building or structure shall be permitted except for trailers, barricades, trash receptacles or portable toilets as may be approved or required by the Design Review Committee. The existence of these structures will only be permitted during the construction period for a permanent improvement.

Site Cleanliness

Builder/Buyer is responsible for all mud and debris left on each lot or tracked onto the streets, or any damage to Declarant improvements, by employees or subcontractors during construction. Declarant may require the Builder/Buyer to deposit up to Twenty-five Hundred Dollars (\$2,500.00) additional, for the purpose of bonding or insuring these requirements during construction. Upon completion of construction and favorable inspection of Declarant improvements, as determined by the ARC, the Twenty-five Hundred Dollars (\$2,500.00) LESS any amount incurred by the Association for street cleaning will be refunded.

All sites must be kept free of loose debris and other non-indigenous waste materials. During construction, the builder is required to maintain a trash receptacle of sufficient size to contain all debris from the project, and to cause the removal of the trash periodically in order to avoid overloading the receptacle to the point the debris projects above the top rim.

During the construction period it is critical that all loose debris be contained on a daily basis and that no debris is allowed to blow onto adjacent home sites.

Signs

The installation of signs other than those specifically approved by the developer, are strictly prohibited. This signage restriction includes but is not limited to builders, subcontractors, lender, architect, and suppliers. Standardized community, model signs, and flags/flag poles benefiting the Developer and Featured Builders for the development are permitted. Realtor signs that advertise the sale of the specific house on the lot shall be permitted. These signs must be removed upon the completion of the sale of the property. Signs of a temporary nature that advertise the development of the community or model homes shall be removed when 100% of the lots have been sold to homeowners. Model home signage shall be removed sooner if the model home is closed or sold. Temporary signs on individual lots advertising the builder shall be removed when the home has been transferred to the homeowner. No more than two (2) political signs endorsing either candidates for public office or issues on the ballot are permitted, during the period commencing no more than thirty (30) days prior to the election date in which the issue or candidate is on the ballot

and continuing for no more than two (2) days after the election in which the issue or candidate is on the ballot.

Refer to the Covenants & Restrictions for any additional requirements.

Coordinate With Your Neighbor

Create privacy for you and your neighbor by carefully locating and coordinating the private spaces of your home. When possible, use common screen walls or fences to help each other create privacy. Think about where you place your windows; avoid windows that "look into" your neighbor's windows.

Design Review Submission Form

This Submission For:

- ☐ Preliminary Design Approval
- ☐ Final Design Approval
- ☐ Landscape Approval
- ☐ Additions and remodeling

\$400.00 due upon submission

\$100.00 due upon submission

Send three (2) sets of plans to:

Deer Valley
Oberer Companies
3445 Newmark Drive
Miamisburg, Ohio 45342

Street Address _____

Lot Number _____

Date _____

It is not the intent of these guidelines to review plans for structural integrity, like safety issues, code compliance or any technical applications, but only for design intent and character, consistent to the community.

Deer Valley

Application Submitted by: _____

Address: _____

_____ Phone: _____

Owner: _____

Builder: _____

Architect/Designer: _____

Landscape Architect/Designer: _____

- ☐ Standard House Plan show details of any variation from standard plans
 - ☐ Custom/Architect Designed
 - ☐ Other

Finished Livable Square Footage (each level)

First Level _____

Second Level _____

Lower Level _____

Attic/Bonus _____

Total _____

This Design Review Application shall be submitted for both Preliminary Design Review and for Final Design Review. This application serves (I) as a checklist to help in the consideration of the many decisions that will affect the design of your home at Washington Trace and (2) to provide the Design Review Committee with the required basic data needed for proper understanding. This application is to be used in conjunction with the Washington Trace Guidelines.

Design Data

The following items must be considered in the preparation of the above document. Check off all items that have been implemented into your design.

1. Site Design

A. Lot Type (Check all that Apply)

☐ Open

☐ Level

☐ Wooded

☐ Sloping

B. Driveway

☐ Straight in from street (not preferred)

☐ Curve in from street

☐ Passes main entrance

Home Orientation

Private areas have been coordinated with neighboring lots: ☐ Yes ☐ No

Home is oriented:

☐ Parallel to street

☐ At an angle to street

☐ Home is set on site so that it does not "line-up" directly with others

Garages Orientation: ☐ Right ☐ Left ☐ Courtyard

D. Site Qualities

Indicate on site plan or grading plan:

☐ Trees to be removed-area

☐ Areas to be preserved (no debris to be placed in ravines)

☐ Views to be used (indicate direction with arrow)

☐ Existing rainwater drainage pattern noted

☐ Rainwater control during and after construction

☐ Side and backyard grade differentials have been coordinated with neighboring lots

☐ Downspout drainage lines located

2. Home Design

A. Type of Home

☐ One story

☐ One and one-half story

☐ Two story

☐ Other Describe _____

B. Building Height and Form

Ridgeline height above finish grade of the lot at the main entrance _____

Maximum ridge height allowed _____

Did you include any wings or appendages to help your home "hug" the ground?

☐ Yes

☐ No

C. Roof Form

☐ Gable Roof

☐ Other-Describe _____

Roof Slope-Describe (10/12, etc.) _____

D. Roof Features
☐ Dormers ☐ Other-Describe _____
☐ Varying eave heights
☐ Varying ridge heights
☐ Roof fans, vents and flashing (except copper) will be painted to match roof.

E. Exterior Walls
☐ All exterior walls same material
☐ Exterior walls combine different materials (brick, wood, etc.). Show transition detail with elevations; corner board, edge board, etc.

Special details (Indicate on elevations)
☐ Bay windows ☐ Balconies/Railings ☐ Skylights
☐ Other Describe _____

F. Windows
Manufacturer _____ Trim Color _____
Type:
☐ Casement ☐ Wood ☐ Other _____
☐ Horizontal sliding ☐ Wood ☐ Other _____
☐ Double Hung ☐ Wood ☐ Other _____
☐ Fixed ☐ Wood ☐ Other _____

Same window type used on all sides of home? ☐ Yes ☐ No

Are you using divided light or grill? ☐ Yes ☐ No
☐ Built-in ☐ Clip-in

Are you using storm windows? ☐ Yes ☐ No
☐ Wood ☐ Color-coated metal

Are you using shutters? ☐ Yes ☐ No
☐ Each shutter is proportioned to be one-half window width.

Are you using board trim around windows? ☐ Yes ☐ No

If yes, what size boards _____

G. Doors
Entrance Door ☐ Stained ☐ Painted
☐ Other Describe _____

Storm and/or Screen Door (type):
☐ Wood ☐ Stained ☐ Painted ☐ Color-coated metal

H. Garage Door
☐ Flush overhead Stained ☐ Painted ☐ Natural Wood
☐ Paneled overhead Stained ☐ Painted ☐ Natural Wood
☐ Wood siding covered Stained ☐ Painted ☐ Natural Wood

☐ Other Describe _____

3. Building Materials and Color

A. Roof Materials

- ☐ Hand split shakes ☐ Wood Shingles
☐ Asphalt shingles color, style and mfg. _____

-
- ☐ Slate
☐ Tile
☐ Gutters, Fascia and Rake boards stained or painted to be complimentary to roof color.

B. Exterior Sidewall Material

- ☐ Wood Type _____
☐ Stone Type _____
☐ Brick Type _____ ☐ Other
Describe _____

C. Colors Indicate color locations on elevations.

- ☐ Other colors

Siding Color _____ Brick Mfg. _____ Color _____

Trim Color _____ Roofing Mfg. _____ Color _____

Accent Color _____

4. Patios, terraces, Decks, Etc. (Locate on Landscape Plan)

☐ Patio – Material _____ Color _____

☐ Decks – Materials _____ Color _____

☐ Swimming Pool Size _____

☐ Trellis

☐ Basketball Backboard ☐ Located behind front line of house

Trashcans and rubbish areas hidden from view by: ☐

Keep trash in garage

☐ Visually screened area Describe _____

Entry Walk

- ☐ Straight ☐ Curved
☐ Brick Pavers ☐ Concrete ☐ railroad tie steps or edges
☐ Flagstone ☐ Exposed Aggregate

☐ Other Describe _____

Decks

☐ Uncovered ☐ Covered ☐ Wood ☐ Canvas

☐ Other Describe _____

Enclosed Areas

☐ All enclosed exterior areas within buildable area

☐ Other _____

Type of Fence or Wall

☐ Wood Fence Type _____ Color _____

☐ Brick Wall Mfg. _____ Type _____

☐ Stone Wall Type _____

5. Landscaping (Indicate on Landscape Plan)

☐ Existing trees retained

☐ Natural areas preserved

☐ Earth mounding used

☐ Foundation planting

☐ "Private" spaces created

☐ Retaining walls used

6. Utilities and Lighting

☐ Underground service

☐ T.V. antennae concealed

☐ Air conditioning condensers, etc., concealed from view

☐ Yard lighting not "directed" towards street or neighbors

☐ Photos or cuts of exterior light fixtures enclosed with application

$$E_{x,y,z} + A$$


Exhibit B

